




Grommets Ltd

Range of Rubber & PVC Products



2012



 **01273 494400**
 **01273 493355**
 **01273 493388**

www.grommets.co.uk



Introduction

Welcome to the latest edition of our catalogue. We produce this catalogue internally, so that we can keep you regularly updated on new parts and product lines.

For the latest product information, visit our on-line catalogue at:

www.grommets.co.uk

We are manufacturers of rubber products, producing a wide range of standard and custom-made parts. Having been in the rubber business for *over 30 years*, we currently supply motor, aircraft and electronics, with *Just-In-Time* parts.

We keep a large stock holding of our standard Open and Blind **Grommets, Bushes, Sleeves, Washers, Plugs** and **Bungs**, all of which you will find details of in this catalogue.

If you are looking for a non-standard part or custom moulding, we will be happy to discuss your requirements and produce a part that is ideal for you. We can produce mouldings in a wide variety of materials (please see page 23 for our material data sheet or see next page and page 20 for further information on custom moulding).

For an instant quote for any of our standard parts listed in this catalogue, please phone the Sales Team on the number printed below. For custom moulding requirements however, please call our Customer Service Team on Henfield (01273) 494400.


We look forward to hearing from you.

Opening Hours: 9am - 5pm Monday - Thursday, 9am – 1pm Friday



Tel:
01273 494400
01273 493355

Fax:
01273 493388



Grommets Ltd
Unit 2 Hollands Lane
Henfield
West Sussex
BN5 9QY
United Kingdom

Managing Director

Joanne Boorsma
joboorsma@grommets.co.uk

Sales Director

Bob Wells
sales@grommets.co.uk



Custom Moulding Requirements

Should our standard ranges not meet your requirements, or you require a custom moulding, then our in-house tooling department will cater for your needs.

We can produce new tooling, or make alterations to existing tooling for any of our standard ranges. If you require tooling for a special part, our custom moulding team will see the job right through; from the tool manufacture stage, to production, so should a problem occur, it can be rectified immediately. All this at very competitive prices and short lead times for custom requirements.

- A fully dimensional drawing or an existing sample is required for tooling.
- General tolerance for custom moulding is 0.2 mm.
- Quick lead times for urgent jobs.
- Very competitive prices throughout.
- Part produced in your choice of materials.
- We can produce mouldings up to 24" diameter.



A selection of our rubber mouldings.



Imperial Conversion Chart

Please note that all the dimensions in this catalogue are in millimetres (mm) unless otherwise stated. To convert your imperial sizes to millimetres please use the conversion chart below.






Fractional	Decimal	mm
1/64	0.02	0.40
1/32	0.03	0.79
3/64	0.05	1.19
1/16	0.06	1.59
5/64	0.08	1.98
3/32	0.09	2.38
7/64	0.11	2.78
1/8	0.13	3.17
9/64	0.14	3.57
5/32	0.16	3.97
11/64	0.17	4.36
3/16	0.18	4.76
13/64	0.20	5.16
7/32	0.22	5.56
15/64	0.23	5.95
1/4	0.25	6.35
17/64	0.27	6.75
9/32	0.28	7.14
19/64	0.30	7.54
5/16	0.31	7.94
21/64	0.33	8.33
11/32	0.34	8.73
23/64	0.35	9.13
3/8	0.38	9.52
25/64	0.39	9.92
13/32	0.41	10.32
27/64	0.42	10.72
7/16	0.44	11.11
29/64	0.45	11.51
15/32	0.47	11.91
31/64	0.48	12.30
1/2	0.50	12.70





Fractional	Decimal	mm
33/64	0.52	13.10
17/32	0.53	13.49
35/64	0.55	13.89
9/16	0.56	14.29
37/64	0.58	16.68
19/32	0.59	15.08
39/64	0.61	15.48
5/8	0.63	15.88
41/64	0.64	16.27
21/32	0.66	16.67
43/64	0.67	17.07
11/16	0.69	17.46
45/64	0.70	17.85
23/32	0.72	18.26
47/64	0.73	18.65
3/4	0.75	19.05
49/64	0.77	19.45
25/32	0.78	19.84
51/64	0.80	20.24
13/16	0.81	20.63
53/64	0.83	21.03
27/32	0.84	21.43
55/64	0.86	21.83
7/8	0.87	22.23
57/64	0.89	22.62
29/32	0.91	23.02
59/64	0.92	23.42
15/16	0.94	23.81
61/64	0.95	24.21
31/32	0.97	24.61
63/64	0.98	25.00
1	1.00	25.40







Contents


Please Note: Our Minimum Order Value Is £30





Grommets			
	Open / Cable Type	Rubber	6
		PVC	8
	Blind / Blanking Type	Rubber	10
		PVC	11
	Semi Blind Type	Rubber	12
		PVC	11
	Cable Entry Sleeves	Rubber	13
		PVC	13
	Sleeved Grommets	Rubber	14
		PVC	14

Plugs		
	Mushroom Plugs	15
	Tapered	15
	Bungs	15
	Tapered Bungs	15

Bushes		
	Standard	16
	Flanged	20

Feet & Ferrules		
	Feet	18
	Ferrules	19

Extrusions		
	Edging Strip	20 & 21


Mouldings			
	Washers		17
	Cord Rings		19
	Handle Grips		18
			Discs 21

OPEN / CABLE TYPE – RUBBER



Our open/cable type grommets are used to protect cables or pipes passing through metal panels. They can be produced in many different types of rubber, for various industrial and anti-vibration purposes. Please see page 23 for details. If the grommet you require is not listed, please phone our sales team to discuss your requirements.

Please also see our PVC range of Open/Cable Type Grommets from page 8.



Part Number	a (mm)	b (mm)	c (mm)
R48-08-28	4.8	0.8	2.8
R50-08-38S	5.0	0.8	3.8
R50-100-20S	5.0	10.0	2.0
R60-10-40	6.0	1.0	4.0
R60-20-30S	6.0	2.0	3.0
R60-25-42	6.0	2.5	4.2
R64-16-40	6.4	1.6	4.0
R64-16-40G	6.4	1.6	4.0
R64-24-40	6.4	2.4	4.0
R64-32-40	6.4	3.2	4.0
R79-08-48	7.9	0.8	4.8
R79-16-40	7.9	1.6	4.0
R79-16-56	7.9	1.6	5.6
R79-38-48	7.9	3.8	4.8
R79-32-56	7.9	3.2	5.6
R79-64-48H	7.9	6.4	4.8
R80-32-50S	8.0	3.2	5.0
R80-50-30	8.0	5.0	3.0
R80-60-30	8.0	6.0	3.0
R95-09-73	9.5	0.9	7.3
R95-16-48	9.5	1.6	4.8
R95-16-50	9.5	1.6	5.0
R95-16-56L	9.5	1.6	5.6
R95-16-64	9.5	1.6	6.4
R95-16-72	9.5	1.6	7.2
R95-24-48	9.5	2.4	4.8
R95-24-48L	9.5	2.4	4.8
R95-24-56L	9.5	2.4	5.6
R95-24-64	9.5	2.4	6.4
R95-24-64H	9.5	2.4	6.4
R95-32-48	9.5	3.2	4.8
R95-32-56L	9.5	3.2	5.6
R95-32-64	9.5	3.2	6.4
R95-40-48	9.5	4.0	4.8
R95-48-48	9.5	4.8	4.8
R95-51-64	9.5	5.1	6.4
R95-64-48	9.5	6.4	4.8
R103-12-71	10.3	1.2	7.1
R103-16-71	10.3	1.6	7.1
R103-32-71	10.3	3.2	7.1
R103-48-71	10.3	4.8	7.1
R110-17-70	11.0	1.7	7.0
R111-16-48	11.1	1.6	4.8
R111-16-64	11.1	1.6	6.4
R111-16-79	11.1	1.6	7.9
R111-16-95	11.1	1.6	9.5
R111-16-98	11.1	1.6	9.8
R111-32-48	11.1	3.2	4.8
R111-32-64	11.1	3.2	6.4
R111-32-79	11.1	3.2	7.9
R111-32-95	11.1	3.2	9.5
R111-38-79	11.1	3.8	7.9
R111-48-48	11.1	4.8	4.8

Part Number	a (mm)	b (mm)	c (mm)
R111-48-64	11.1	4.8	6.4
R111-48-79	11.1	4.8	7.9
R111-48-95	11.1	4.8	9.5
R111-64-48	11.1	6.4	4.8
R111-64-79	11.1	6.4	7.9
R111-64-95	11.1	6.4	9.5
R120-12-79	12.0	1.2	7.9
R120-15-60	12.0	1.5	6.0
R120-16-79	12.0	1.6	7.9
R120-20-60	12.0	2.0	6.0
R120-24-79	12.0	2.4	7.9
R120-32-63	12.0	3.2	6.3
R120-35-60	12.0	3.5	6.0
R120-48-68	12.0	4.8	6.8
R121-15-98S	12.1	1.5	9.8
R127-16-64G	12.7	1.6	6.4
R127-16-76S	12.7	1.6	7.6
R127-16-95	12.7	1.6	9.5
R127-24-64G	12.7	2.4	6.4
R127-24-76	12.7	2.4	7.6
R127-24-95	12.7	2.4	9.5
R127-32-64G	12.7	3.2	6.4
R127-32-95	12.7	3.2	9.5
R127-48-76	12.7	4.8	7.6
R127-48-95	12.7	4.8	9.5
R127-50-64G	12.7	5.0	6.4
R127-64-95	12.7	6.4	9.5
R130-11-90A	13.0	1.1	9.0
R130-20-90/70S	13.0	2.0	9.0-7.0
R135-16-111	13.5	1.6	11.1
R135-32-111	13.5	3.2	11.1
R135-48-95	13.5	4.8	9.5
R140-40-70	14.0	4.0	7.0
R143-16-79	14.3	1.6	7.9
R143-30-80	14.3	3.0	8.0
R143-32-32	14.3	3.2	3.2
R143-48-95	14.3	4.8	9.5
R143-100-95	14.3	10.0	9.5
R143-150-80	14.3	15.0	8.0
R145-150-100	14.5	15.0	10.0
R150-15-95	15.0	1.5	9.5
R150-30-95	15.0	3.0	9.5
R150-40-70	15.0	4.0	7.0
R151-16-71	15.1	1.6	7.1
R151-32-71	15.1	3.2	7.1
R151-48-71	15.1	4.8	7.1
R159-32-79	15.9	3.2	7.9
R159-64-79	15.9	6.4	7.9
R160-12-79	16.0	1.2	7.9
R160-16-79	16.0	1.6	7.9
R160-25-35S	16.0	2.5	3.5
R160-32-79	16.0	3.2	7.9
R160-40-70	16.0	4.0	7.0

Part Number	a (mm)	b (mm)	c (mm)
R160-100-95	16.0	10.0	9.5
R170-16-95	17.0	1.6	9.5
R175-10-127	17.5	1.0	12.7
R175-12-79	17.5	1.2	7.9
R175-15-127	17.5	1.5	12.7
R175-16-79	17.5	1.6	7.9
R175-16-143	17.5	1.6	14.3
R175-20-120	17.5	2.0	12.0
R175-30-127	17.5	3.0	12.7
R175-32-79	17.5	3.2	7.9
R175-32-143	17.5	3.2	14.3
R175-40-143	17.5	4.0	14.3
R175-48-79	17.5	4.8	7.9
R175-48-143	17.5	4.8	14.3
R175-51-127	17.5	5.1	12.7
R180-20-120	18.0	2.0	12.0
R180-40-70	18.0	4.0	7.0
R180-40-120	18.0	4.0	12.0
R180-65-100S	18.0	6.5	10.0
R180-127-127	18.0	12.7	12.7
R190-16-143	19.0	1.6	14.3
R190-20-120	19.0	2.0	12.0
R190-32-143	19.0	3.2	14.3
R190-40-70	19.0	4.0	7.0
R190-40-120	19.0	4.0	12.0
R190-48-143	19.0	4.8	14.3
R190-55-140	19.0	5.5	14.0
R190-64-143	19.0	6.4	14.3
R191-64-143	19.1	6.4	14.3
R200-16-150	20.0	1.6	15.0
R200-16-159	20.0	1.6	15.9
R200-24-150	20.0	2.4	15.0
R200-30-127	20.0	3.0	12.7
R200-32-150	20.0	3.2	15.0
R200-32-159	20.0	3.2	15.9
R200-40-70	20.0	4.0	7.0
R200-40-120	20.0	4.0	12.0
R200-50-160	20.0	5.0	16.0
R200-60-120	20.0	6.0	12.0
R206-24-159	20.6	2.4	15.9
R206-30-127	20.6	3.0	12.7
R222-10-64C	22.2	1.0	6.4
R222-16-30	22.2	1.6	3.0
R222-32-30	22.2	3.2	3.0
R222-80-111	22.2	8.0	11.1
R222-95-111	22.2	9.5	11.1
R230-12-127	23.0	1.2	12.7
R230-30-161	23.0	3.0	16.1
R250-30-90	25.0	3.0	9.0
R254-12-190	25.4	1.2	19.0
R254-16-30	25.4	1.6	3.0
R254-16-80C	25.4	1.6	8.0
R254-16-175	25.4	1.6	17.5
R254-16-185	25.4	1.6	18.5
R254-16-191	25.4	1.6	19.1
R254-16-200	25.4	1.6	20.0
R254-20-190	25.4	2.0	19.0
R254-30-60L	25.4	3.0	6.0
R254-30-63	25.4	3.0	6.3


Part Number	a (mm)	b (mm)	c (mm)
R254-30-210	25.4	3.0	21.0
R254-32-30	25.4	3.2	3.0
R254-32-95	25.4	3.2	9.5
R254-32-200	25.4	3.2	20.0
R254-32-206	25.4	3.2	20.6
R254-50-220	25.4	5.0	22.0
R254-64-191	25.4	6.4	19.1
R254-79-50	25.4	7.9	5.0
R254-80-111	25.4	8.0	11.1
R254-87-159	25.4	8.7	15.9
R270-08-206	27.0	0.8	20.6
R270-12-210	27.0	1.2	21.0
R270-30-210	27.0	3.0	21.0
R280-50-220	28.0	5.0	22.0
R285-50-200S	28.5	5.0	20.0
R285-191-174	28.5	19.1	17.4
R290-50-160	29.0	5.0	16.0
R300-100-170	30.0	10.0	17.0
R310-40-120	31.0	4.0	12.0
R318-16-80C	31.8	1.6	8.0
R318-32-254	31.8	3.2	25.4
R320-15-254	32.0	1.5	25.4
R320-24-254	32.0	2.4	25.4
R320-30-254	32.0	3.0	25.4
R320-32-254	32.0	3.2	25.4
R320-40-120	32.0	4.0	12.0
R320-40-254	32.0	4.0	25.4
R320-65-200	32.0	6.5	20.0
R320-65-254	32.0	6.5	25.4
R345-20-318	34.5	2.0	31.8
R345-40-318	34.5	4.0	31.8
R345-60-285	34.5	6.0	28.5
R350-10-160	35.0	1.0	16.0
R350-15-290	35.0	1.5	29.0
R350-16-250	35.0	1.6	25.0
R350-32-95	35.0	3.2	9.5
R350-32-159	35.0	3.2	15.9
R350-32-250	35.0	3.2	25.0
R350-60-288	35.0	6.0	28.8
R350-80-200	35.0	8.0	20.0
R380-20-30S	38.0	2.0	3.0
R381-16-60C	38.1	1.6	6.0
R381-16-90C	38.1	1.6	9.0
R381-20-318	38.1	2.0	31.8
R381-40-318	38.1	4.0	31.8
R381-50-318	38.1	5.0	31.8
R381-70-318	38.1	7.0	31.8
R381-100-318	38.1	10.0	31.8
R381-120-318	38.1	12.0	31.8
R400-10-240	40.0	1.0	24.0
R400-16-345	40.0	1.6	34.5
R400-20-345	40.0	2.0	34.5
R400-50-345	40.0	5.0	34.5
R413-80-350	41.3	8.0	35.0
R420-30-340	42.0	3.0	34.0
R420-45-381	42.0	4.5	38.1
R420-60-350	42.0	6.0	35.0
R444-103-381	44.4	10.3	38.1
R444-105-381	44.4	10.5	38.1

Part Number	a (mm)	b (mm)	c (mm)
R445-16-381	44.5	1.6	38.1
R445-32-381	44.5	3.2	38.1
R445-100-380	44.5	10.0	38.0
R450-30-175	45.0	3.0	17.5
R460-40-400	46.0	4.0	40.0
R477-127-445	47.7	12.7	44.5
R480-10-350	48.0	1.0	35.0
R500-100-430	50.0	10.0	43.0
R500-150-430	50.0	15.0	43.0
R500-230-430	50.0	23.0	43.0
R508-16-413	50.8	1.6	41.3
R508-16-444	50.8	1.6	44.4
R508-32-413	50.8	3.2	41.3
R508-32-444	50.8	3.2	44.4
R508-40-400	50.8	4.0	40.0
R508-48-444	50.8	4.8	44.4
R550-20-508	55.0	2.0	50.8
R550-40-508	55.0	4.0	50.8
R550-60-508	55.0	6.0	50.8
R560-80-450	56.0	8.0	45.0
R572-16-508	57.2	1.6	50.8
R572-32-508	57.2	3.2	50.8
R572-111-508	57.2	11.1	50.8

Part Number	a (mm)	b (mm)	c (mm)
R635-32-540	63.5	3.2	54.0
R650-90-500	65.0	9.0	50.0
R700-30-635	70.0	3.0	63.5
R762-15-603	76.2	1.5	60.3
R762-40-603	76.2	4.0	60.3
R762-64-603	76.2	6.4	60.3
R780-10-675	78.0	1.0	67.5
R780-12-680	78.0	1.2	68.0
R800-32-700	80.0	3.2	70.0
R800-80-660	80.0	8.0	66.0
R826-32-762	82.6	3.2	76.2
R860-100-760S	86.0	10.0	76.0
R890-64-570	89.0	6.4	57.0
R1000-10-950	100.0	1.0	95.0
R1000-320-890H	100.0	32.0	89.0
R1140-95-890	114.0	9.5	89.0
R1150-12-950	115.0	1.2	95.0
R1150-60-1100	115.0	6.0	110.0
R1200-60-1100	120.0	6.0	110.0
R1300-15-100S	130.0	1.5	10.0
R1300-30-100S	130.0	3.0	10.0
R1350-20-1250	135.0	2.0	125.0

Open PVC Grommets

OPEN / CABLE TYPE – PVC



PVC Open/Cable Type Grommets are used to protect cables or pipes passing through metal panels or for various industrial and anti-vibration purposes.

Please see the list below for our range of standard sized parts. Please note, the majority of our grommets are stock items. Some parts, however, are made to order, therefore minimum order quantities may apply. Please also see our Rubber range of Open/Cable Type Grommets from page 6.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400

Part Number	a (mm)	b (mm)	c (mm)
P48-16-32	4.8	1.6	3.2
P60-12-32	6.0	1.2	3.2
P64-08-40	6.4	0.8	4.0
P64-16-40	6.4	1.6	4.0
P64-16-48	6.4	1.6	4.8
P64-24-48	6.4	2.4	4.8
P64-30-40	6.4	3.0	4.0
P64-32-48	6.4	3.2	4.8
P79-12-56	7.9	1.2	5.6
P79-16-56	7.9	1.6	5.6
P79-24-56	7.9	2.4	5.6
P79-32-56	7.9	3.2	5.6
P80-08-48	8.0	0.8	4.8
P80-16-55	8.0	1.6	5.5
P80-30-30	8.0	3.0	3.0
P95-08-32	9.5	0.8	3.2
P95-08-64	9.5	0.8	6.4
P95-12-48	9.5	1.2	4.8
P95-12-64	9.5	1.2	6.4
P95-12-70	9.5	1.2	7.0

Part Number	a (mm)	b (mm)	c (mm)
P95-16-40	9.5	1.6	4.0
P95-16-48	9.5	1.6	4.8
P95-16-56	9.5	1.6	5.6
P95-16-64	9.5	1.6	6.4
P95-16-80	9.5	1.6	8.0
P95-24-48	9.5	2.4	4.8
P95-24-64	9.5	2.4	6.4
P95-32-40	9.5	3.2	4.0
P95-32-64	9.5	3.2	6.4
P95-32-79	9.5	3.2	7.9
P95-40-48	9.5	4.0	4.8
P103-16-56	10.3	1.6	5.6
P103-16-72	10.3	1.6	7.2
P103-16-79	10.3	1.6	7.9
P111-12-79	11.1	1.2	7.9
P111-16-64	11.1	1.6	6.4
P111-16-71	11.1	1.6	7.1
P111-16-80	11.1	1.6	8.0
P111-24-79	11.1	2.4	7.9
P111-32-71	11.1	3.2	7.1

Part Number	a (mm)	b (mm)	c (mm)
P111-32-79	11.1	3.2	7.9
P111-32-95	11.1	3.2	9.5
P111-48-79	11.1	4.8	7.9
P111-64-71	11.1	6.4	7.1
P119-16-64	11.9	1.6	6.4
P119-20-96	11.9	2.0	9.6
P127-12-95	12.7	1.2	9.5
P127-16-64	12.7	1.6	6.4
P127-16-79	12.7	1.6	7.9
P127-16-80	12.7	1.6	8.0
P127-16-95	12.7	1.6	9.5
P127-16-110	12.7	1.6	11.0
P127-24-95	12.7	2.4	9.5
P127-32-80	12.7	3.2	8.0
P127-30-95	12.7	3.0	9.5
P127-48-95	12.7	4.8	9.5
P127-64-79	12.7	6.4	7.9
P127-95-79	12.7	9.5	7.9
P135-32-96	13.5	3.2	9.6
P135-40-96	13.5	4.0	9.6
P142-16-95	14.2	1.6	9.5
P142-16-111	14.2	1.6	11.1
P143-08-111	14.3	0.8	11.1
P143-32-111	14.3	3.2	11.1
P143-48-111	14.3	4.8	11.1
P148-08-48	14.8	0.8	4.8
P159-08-111	15.9	0.8	11.1
P159-12-48	15.9	1.2	4.8
P159-12-79	15.9	1.2	7.9
P159-12-127	15.9	1.2	12.7
P159-16-48	15.9	1.6	4.8
P159-16-111	15.9	1.6	11.1
P159-20-127	15.9	2.0	12.7
P159-32-127	15.9	3.2	12.7
P159-40-127	15.9	4.0	12.7
P159-48-127	15.9	4.8	12.7
P159-64-79	15.9	6.4	7.9
P160-12-125	16.0	1.2	12.5
P175-16-79	17.5	1.6	7.9
P175-16-125	17.5	1.6	12.5
P175-16-143	17.5	1.6	14.3
P175-24-143	17.5	2.4	14.3
P175-32-143	17.5	3.2	14.3
P175-48-143	17.5	4.8	14.3
P191-12-72	19.1	1.2	7.2
P191-16-119	19.1	1.6	11.9
P191-16-120	19.1	1.6	12.0
P191-16-125	19.1	1.6	12.5
P191-16-160	19.1	1.6	16.0
P191-16-175	19.1	1.6	17.5

Part Number	a (mm)	b (mm)	c (mm)
P191-24-159	19.1	2.4	15.9
P191-32-127	19.1	3.2	12.7
P191-32-159	19.1	3.2	15.9
P191-48-111	19.1	4.8	11.1
P191-48-159	19.1	4.8	15.9
P191-64-127	19.1	6.4	12.7
P200-16-125	20.0	1.6	12.5
P200-16-155	20.0	1.6	15.5
P200-16-159	20.0	1.6	15.9
P205-12-159	20.5	1.2	15.9
P206-64-167	20.6	6.4	16.7
P222-12-159	22.2	1.2	15.9
P222-16-95	22.2	1.6	9.5
P222-16-159	22.2	1.6	15.9
P222-16-175	22.2	1.6	17.5
P222-24-159	22.2	2.4	15.9
P222-32-159	22.2	3.2	15.9
P222-48-159	22.2	4.8	15.9
P238-12-190	23.8	1.2	19.0
P252-12-185	25.2	1.2	18.5
P252-16-185	25.2	1.6	18.5
P254-08-222	25.4	0.8	22.2
P254-12-191	25.4	1.2	19.1
P254-16-175	25.4	1.6	17.5
P254-16-191	25.4	1.6	19.1
P254-16-222	25.4	1.6	22.2
P254-20-191	25.4	2.0	19.1
P254-24-191	25.4	2.4	19.1
P254-32-191	25.4	3.2	19.1
P254-32-222	25.4	3.2	22.2
P254-40-191	25.4	4.0	19.1
P306-32-254	30.6	3.2	25.4
P310-16-249	31.0	1.6	24.9
P318-08-180	31.8	0.8	18.0
P318-12-254	31.8	1.2	25.4
P318-16-254	31.8	1.6	25.4
P320-08-255	32.0	0.8	25.5
P349-08-300	34.9	0.8	30.0
P381-16-300	38.1	1.6	30.0
P381-16-318	38.1	1.6	31.8
P381-16-320	38.1	1.6	32.0
P381-30-320	38.1	3.0	32.0
P381-48-318	38.1	4.8	31.8
P445-16-381	44.5	1.6	38.1
P445-32-381	44.5	3.2	38.1
P500-16-450	50.0	1.6	45.0
P508-16-445	50.8	1.6	44.5
P508-32-445	50.8	3.2	44.5

GOOD DISCOUNTS
FOR LARGER
QUANTITIES


BLIND / BLANKING TYPE – RUBBER



These grommets are used for blanking holes in metal panels. The rubber range are a solid style blanking grommet, as shown in the drawing.

Please also see our PVC range of Blind/Blanking Type Grommets on page 11.

The rubber range tends to accommodate thicker plate thicknesses, whilst the PVC parts are recessed and offer a domed finish.



Please email/call our sales team for a quotation on:


Email: sales@grommets.co.uk or Tel: 01273 494400

Part Number	a (mm)	b (mm)	c (mm)
RB35-20-00	3.5	2.0	10.0
RB50-10-00FG	5.0	1.0	15.0
RB50-20-00FG	5.0	2.0	9.2
RB50-32-00FG	5.0	3.2	9.2
RB52-30-00	5.2	3.0	12.0
RB52-40-00	5.2	4.0	12.0
RB52-50-00	5.2	5.0	12.0
RB54-30-00	5.4	3.0	12.0
RB55-40-00	5.5	4.0	8.3
RB60-16-00	6.0	1.6	12.0
RB62-50-00S	6.2	5.0	12.2
RB80-16-00	8.0	1.6	14.2
RB80-24-00	8.0	2.4	16.0
RB80-30-00	8.0	3.0	14.4
RB87-20-00	8.7	2.0	11.1
RB87-32-00S	8.7	3.2	19.07
RB95-60-00	9.5	6.0	13.5
RB100-16-00	10.0	1.6	14.5
RB100-32-00	10.0	3.2	14.5
RB100-40-00	10.0	4.0	14.5
RB100-50-00	10.0	5.0	14.5
RB100-60-00	10.0	6.0	14.5
RB111-48-00	11.1	4.8	15.5
RB120-10-00	12.0	1.0	18.5
RB120-15-00	12.0	1.5	18.5
RB120-30-00	12.0	3.0	18.5
RB120-45-00	12.0	4.5	18.5
RB120-60-00	12.0	6.0	18.5
RB127-10-00	12.7	1.0	18.5
RB127-16-00	12.7	1.6	18.5
RB127-24-00	12.7	2.4	-
RB127-60-00	12.7	6.0	17.1
RB150-10-00	15.0	1.0	21.0
RB150-16-00	15.0	1.6	21.0
RB150-20-00	15.0	2.0	23.5
RB150-30-00	15.0	3.0	23.5
RB150-40-00	15.0	4.0	23.5
RB160-10-00	16.0	1.0	19.5
RB160-16-00	16.0	1.6	19.5

Part Number	a (mm)	b (mm)	c (mm)
RB175-30-00	17.5	3.0	27.5
RB175-60-00S	17.5	6.0	27.5
RB180-30-00	18.0	3.0	25.4
RB200-15-00	20.0	1.5	24.5
RB200-16-00	20.0	1.6	24.5
RB200-30-00	20.0	3.0	24.5
RB200-45-00	20.0	4.5	24.5
RB200-60-00	20.0	6.0	24.5
RB206-60-00	20.6	6.0	26.2
RB220-15-00	22.0	1.5	24.5
RB220-30-00	22.0	3.0	24.5
RB220-45-00	22.0	4.5	24.5
RB220-60-00	22.0	6.0	24.5
RB254-16-00	25.4	1.6	31.0
RB254-30-00	25.4	3.0	31.0
RB254-50-00	25.4	5.0	31.0
RB254-64-00	25.4	6.4	31.0
RB280-40-00	28.0	4.0	36.0
RB290-30-00	29.0	3.0	37.4
RB290-60-00	29.0	6.0	37.4
RB300-15-00	30.0	1.5	37.4
RB300-30-00	30.0	3.0	37.4
RB300-45-00	30.0	4.5	37.4
RB300-60-00	30.0	6.0	37.4
RB318-50-00	31.8	5.0	44.7
RB320-15-00	32.0	1.5	37.4
RB320-30-00	32.0	3.0	37.4
RB320-45-00	32.0	4.5	37.4
RB320-60-00	32.0	6.0	37.4
RB366-30-00	36.6	3.0	44.7
RB381-50-00	38.1	5.0	44.7
RB381-60-00	38.1	6.0	45.0
RB444-32-00	44.4	3.2	50.0
RB508-10-00	50.8	1.0	60.0
RB508-16-00	50.8	1.6	60.0
RB508-30-00	50.8	3.0	60.0
RB566-48-00	56.6	4.8	77.0
RB660-48-00	66.0	4.8	75.0
RB780-180-00	78.0	18.0	89.0

~ Please Note Our Minimum Order Value Is £30 + £10.00 Carriage & Packaging ~

BLIND / BLANKING TYPE – PVC



Blind grommets are used for blanking holes in metal panels. Choose from our Rubber range of Blind/Blanking Type Grommets, on page 10, or recessed style PVC grommets below.

Please note, the majority of our grommets are stock items, however some made to order and minimum order quantities may apply.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400

Part Number	a (mm)	b (mm)	c (mm)
PB48-16-00	4.8	1.6	9.3
PB64-16-00	6.4	1.6	9.5
PB80-08-00	8.0	0.8	14.2
PB80-16-00	8.0	1.6	14.2
PB95-08-00	9.5	0.8	12.7
PB95-12-00	9.5	1.2	11.6
PB95-16-00	9.5	1.6	12.7
PB95-32-00	9.5	3.2	12.7
PB111-16-00	11.1	1.6	17.7
PB115-16-00	11.5	1.6	17.0
PB119-12-00	11.9	1.2	17.5
PB120-08-00	12.0	0.8	19.0
PB127-16-00	12.7	1.6	18.7
PB127-32-00	12.7	3.2	19.1
PB150-12-00	15.0	1.2	22.0
PB155-16-00	15.5	1.6	22.0

Part Number	a (mm)	b (mm)	c (mm)
PB159-16-00	15.9	1.6	19.0
PB163-13-00	16.3	1.3	20.0
PB191-16-00	19.1	1.6	25.5
PB191-32-00	19.1	3.2	24.5
PB200-16-00	20.0	1.6	25.0
PB222-24-00	22.2	2.4	28.5
PB245-24-00	24.5	2.4	30.0
PB254-16-00	25.4	1.6	32.0
PB254-24-00	25.4	2.4	32.0
PB315-08-00	31.5	0.8	38.1
PB318-16-00	31.8	1.6	38.1
PB318-24-00	31.8	2.4	38.1
PB381-16-00	38.1	1.6	43.7
PB381-32-00	38.1	3.2	43.7
PB508-16-00	50.8	1.6	57.5
PB515-16-00	51.5	1.6	57.5

G10

Semi Blind PVC Grommets

Our Semi-Blind type grommets can be used as blind or open grommets. The membrane of the grommet is thick enough to provide a good seal, but thin enough to be punctured by wires or cables to be used as an open grommet.

We offer Rubber (page 12) and PVC ranges (below) with end codes OOF or OOC which dictate the membrane style: either across the face or across the centre, as illustrated in the diagram to the right.


Please email/call our sales team for a quotation on:
Email: sales@grommets.co.uk or Tel: 01273 494400

SEMI BLIND TYPE – PVC

Product Code Ending With:

OOF
Blind Across The Face

OOC
Blind Across The Centre



Part Number	a (mm)	b (mm)	c (mm)
PSB64-08-00F	6.4	0.8	9.5
PSB64-16-00F	6.4	1.6	9.5
PSB95-16-00F	9.5	1.6	12.7
PSB95-24-00F	9.5	2.4	12.7
PSB99-15-00F	9.9	1.5	12.7
PSB111-16-00F	11.1	1.6	17.5
PSB127-16-00F	12.7	1.6	17.5
PSB127-24-00F	12.7	2.4	17.5
PSB159-16-00F	15.9	1.6	19.0
PSB159-16-00C	15.9	1.6	19.0
PSB159-20-00C	15.9	2.0	19.0
PSB159-24-00C	15.9	2.4	22.0
PSB159-32-00C	15.9	3.2	22.0
PSB191-20-00C	19.1	2.0	25.4
PSB191-30-00C	19.1	3.0	25.4
PSB200-16-00F	20.0	1.6	25.5

Part Number	a (mm)	b (mm)	c (mm)
PSB200-16-00C	20.0	1.6	25.5
PSB222-16-00F	22.2	1.6	25.5
PSB238-12-00F	23.8	1.2	31.8
PSB254-16-00F	25.4	1.6	31.8
PSB254-16-00C	25.4	1.6	31.8
PSB254-24-00C	25.4	2.4	31.8
PSB270-28-00F	27.0	2.8	32.5
PSB318-16-00F	31.8	1.6	38.0
PSB318-24-00C	31.8	2.4	38.0
PSB318-40-00C	31.8	4.0	38.0
PSB349-24-00F	34.9	2.4	44.4
PSB381-16-00F	38.1	1.6	44.4
PSB381-24-00C	38.1	2.4	44.4
PSB381-30-00C	38.1	3.0	44.4
PSB429-24-00F	42.9	2.4	49.2
PSB508-16-00F	50.8	1.6	57.5


Our Semi-Blind type grommets can be used as blind or open grommets. The membrane of the grommet is thick enough to provide a good seal, but thin enough to be punctured by wires or cables to be used as an open grommet.

The end codes OOF or OOC dictate the membrane style: either across the face or across the centre, as illustrated in the diagram to the right. We stock both Rubber (below) and PVC ranges (page 11).

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400

SEMI BLIND TYPE – RUBBER



Part Number	a (mm)	b (mm)	c (mm)
RSB95-24-00F	9.5	2.4	13.5
RSB159-16-00F	15.9	1.6	22.0
RSB191-30-00F	19.1	3.0	22.0
RSB200-08-00F	20.0	0.8	31.8
RSB200-10-00F	20.0	1.0	23.0
RSB200-10-00FS	20.0	1.0	23.0
RSB200-15-00F	20.0	1.5	24.5
RSB200-25-00F	20.0	2.5	24.5
RSB200-30-00F	20.0	3.0	24.5
RSB200-45-00F	20.0	4.5	23.6
RSB200-60-00F	20.0	6.0	24.5
RSB210-30-00F	21.0	3.0	24.5
RSB222-10-00C	22.2	1.0	34.0
RSB254-16-00C	25.4	1.6	34.0
RSB254-16-00F	25.4	1.6	31.8
RSB254-24-00C	25.4	2.4	36.5
RSB254-30-00C	25.4	3.0	31.8
RSB254-40-00C	25.4	4.0	34.0
RSB254-50-00C	25.4	5.0	34.0
RSB270-16-00F	27.0	1.6	33.0
RSB320-20-00C	32.0	2.0	36.5
RSB320-40-00F	32.0	4.0	45.0
RSB320-65-00F	32.0	6.5	45.0
RSB350-12-00C	35.0	1.2	42.0
RSB350-15-00F	35.0	1.5	45.0
RSB350-24-00F	35.0	2.4	45.0
RSB350-40-00F	35.0	4.0	45.0
RSB350-65-00F	35.0	6.5	45.0
RSB370-20-00C	37.0	2.0	43.0
RSB370-20-00F	37.0	2.0	-

Part Number	a (mm)	b (mm)	c (mm)
RSB380-20-00F	38.0	2.0	45.0
RSB380-30-00F	38.0	3.0	45.0
RSB380-40-00F	38.0	4.0	45.0
RSB381-40-00F	38.1	4.0	44.0
RSB381-65-00F	38.1	6.5	44.0
RSB413-20-00F	41.3	2.0	45.5
RSB413-30-00F	41.3	3.0	45.5
RSB444-50-00F	44.4	5.0	56.0
RSB460-40-00F	46.0	4.0	55.0
RSB470-25-00C	47.0	2.5	52.5
RSB500-24-00F	50.0	2.4	55.0
RSB500-32-00F	50.0	3.2	55.0
RSB500-50-00F	50.0	5.0	55.0
RSB500-64-00F	50.0	6.4	55.0
RSB500-230-00F	50.0	23.0	61.0
RSB508-40-00F	50.8	4.0	64.0
RSB572-16-00C	57.2	1.6	68.0
RSB572-30-00C	57.2	3.0	65.0
RSB572-30-00F	57.2	3.0	68.0
RSB600-24-00F	60.0	2.4	90.0
RSB630-20-00F	63.0	2.0	88.0
RSB700-20-00C	70.0	2.0	90.0
RSB700-24-00F	70.0	2.4	90.0
RSB700-50-00C	70.0	5.0	90.0
RSB800-24-00F	80.0	2.4	110.0
RSB900-24-00F	90.0	2.4	110.0
RSB1000-24-00F	100.0	2.4	110.0
RSB1000-70-00F	100.0	7.0	110.0
RSB2000-15-00F	200.0	1.5	215.0

**GOOD DISCOUNTS
FOR LARGER
QUANTITIES**

**OUR GROMMETS CAN
BE PRODUCED IN
MANY DIFFERENT TYPES
OF RUBBER
SEE PAGE 23 FOR DETAILS**


~ Please Note Our Minimum Order Value Is £30 + £10.00 Carriage & Packaging ~

CABLE ENTRY SLEEVES

Our range of cable entry sleeves are designed for cables and wires being pushed through holes. They are ideal where the panel is too thick to accommodate a grommet. Cable sleeves are also quicker and easier to fit than sleeved grommets making them the most cost effective choice for large batches and production lines.

Should our standard range not meet your requirement, please contact our sales team who will be happy to quote for a cable sleeve to your exact sizes. These parts can easily be made to meet your custom dimensions, with reasonable minimum order quantities.

Please email/call our sales team for a quotation on:
Email: sales@grommets.co.uk or Tel: 01273 494400



RUBBER RANGE

Part Number	a (mm)	c (mm)	d (mm)
RCS50-00-35	5.0	3.5	10.7
RCS60-00-30/22	6.0	3.0-2.2	28.0
RCS60-00-30/22 CLR SIL	6.0	3.0-2.2	28.0
RCS87-00-64/48	8.7	6.4-4.8	27.6
RCS120-00-60	12.0	6.0	45.0
RCS151-00-103	15.1	10.3	37.0

- Also see our Sleeved Grommets Section on the next Page -



PVC RANGE

Part Number	a (mm)	c (mm)	d (mm)
PCS71-00-40	7.1	4.0	22.2
PCS75-00-40	7.5	4.0	38.9
PCS79-00-48	7.9	4.8	28.6
PCS87-00-64	8.7	6.4	38.1
PCS93-00-68	9.3	6.8	36.0
PCS95-00-62	9.5	6.2	41.3
PCS95-00-64	9.5	6.4	31.0
PCS95-00-64	9.5	6.4	41.3
PCS95-00-64	9.5	6.4	15.1
PCS111-00-79	11.1	7.9	28.6
PCS111-00-79	11.1	7.9	38.1
PCS111-00-91	11.1	9.1	15.9
PCS142-00-103	14.2	10.3	38.1
PCS153-00-127	15.3	12.7	22.2

**GOOD DISCOUNTS
FOR LARGER
QUANTITIES**

**PLEASE CALL OUR SALES
TEAM IF THE PART
REQUIRED IS NOT LISTED –
WE WILL BE HAPPY TO
HELP!**

~ Please Note Our Minimum Order Value Is £30 + £10.00 Carriage & Packaging ~

SLEEVED GROMMETS




Our range of sleeved grommets provides added support and protection for cables or wires passing through metal panels.

Please contact our sales department if the size you require is not listed. Please note a minimum order quantity may apply on some items.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400



RUBBER RANGE

PVC RANGE


Part Number	a (mm)	b (mm)	c (mm)	d (mm)
RSG35-15-17	3.5	1.5	1.7	11.7
RSG60-15-30	6.0	1.5	3.0	17.0
RSG60-30-30	6.0	3.0	3.0	17.0
RSG80-15-30	8.0	1.5	3.0	25.4
RSG80-30-30	8.0	3.0	3.0	25.4
RSG80-30-50	8.0	3.0	5.0	25.4
RSG87-16-48	8.7	1.6	4.8	9.2
RSG100-12-62	10.0	1.2	6.2	25.4
RSG111-10-79	11.1	1.0	7.9	12.0
RSG111-20-61	11.1	2.0	6.1	38.1
RSG111-32-71	11.1	3.2	7.1	
RSG127-20-79/95	12.7	2.0	7.9-9.5	32.0
RSG127-30-50	12.7	3.0	5.0	25.4
RSG127-35-79/95	12.7	3.5	7.9-9.5	32.0
RSG140-15-100	14.0	1.5	10.0	22.0
RSG140-16-55/110	14.0	1.6	5.5-11.0	11.4
RSG140-30-100	14.0	3.0	10.0	22.0
RSG159-60-95	15.9	6.0	9.5	38.0
RSG160-15-100	16.0	1.5	10.0	25.4
RSG160-30-100	16.0	3.0	10.0	25.4
RSG180-15-127	18.0	1.5	12.7	25.4
RSG180-30-127	18.0	3.0	12.7	25.4
RSG190-16-61	19.0	1.6	6.1	45.0
RSG200-15-127	20.0	1.5	12.7	25.4
RSG200-30-127	20.0	3.0	12.7	25.4
RSG200-20-68	20.0	6.0	6.8	22.0
RSG220-20-95/127	22.0	2.0	9.5-12.7	32.0
RSG220-20-119/140	22.0	2.0	11.9-14.0	35.0
RSG222-12-132/190 S	22.2	1.2	13.2-19.0	14.5
RSG240-12-60 S	24.0	1.2	5.6	36.0
RSG240-45-222	24.0	4.5	22.2	
RSG280-30-100	28.0	3.0	10.0	23.0
RSG285-10-132/254 S	28.5	1.0	13.2-25.4	20.8
RSG285-10-191/254	28.5	1.0	19.1-25.4	15.0
RSG420-45-222	42.0	4.5	22.2	38.1

Part Number	a (mm)	b (mm)	c (mm)	d (mm)
PSG47-16-23	4.7	1.6	2.3	22.0
PSG71-26-56	7.1	2.6	5.6	7.4
PSG76-16-56	7.6	1.6	5.6	7.4
PSG76-38-60	7.6	3.8	6.0	31.7
PSG79-16-48	7.9	1.6	4.8	11.1
PSG79-32-48	7.9	3.2	4.8	14.3
PSG79-32-56	7.9	3.2	5.6	42.9
PSG87-08-51	8.7	0.8	5.1	42.9
PSG87-16-48	8.7	1.6	4.8	42.9
PSG87-16-51	8.7	1.6	5.1	42.9
PSG87-24-48	8.7	2.4	4.8	42.9
PSG87-28-48	8.7	2.8	4.8	42.9
PSG95-16-56	9.5	1.6	5.6	31.7
PSG95-16-59	9.5	1.6	5.9	16.0
PSG95-24-63	9.5	2.4	6.3	16.0
PSG95-24-64	9.5	2.4	6.4	14.3
PSG95-32-56	9.5	3.2	5.6	41.3
PSG111-08-87	11.1	0.8	8.7	34.9
PSG111-16-59	11.1	1.6	5.9	10.6
PSG111-32-71	11.1	3.2	7.1	10.6
PSG127-08-97	12.7	0.8	9.7	26.8
PSG127-16-79	12.7	1.6	7.9	43.0
PSG127-24-87	12.7	2.4	8.7	54.8
PSG127-32-95	12.7	3.2	9.5	35.5
PSG127-40-64	12.7	4.0	6.4	43.0
PSG143-12-103	14.3	1.2	10.3	5.6
PSG159-08-40	15.9	0.8	4.0	25.4
PSG174-12-87	17.4	1.2	8.7	41.3
PSG200-16-80	20.0	1.6	8.0	38.1
PSG206-16-111	20.6	1.6	11.1	65.1
PSG222-32-159	22.2	3.2	15.9	25.4

GOOD DISCOUNTS FOR LARGER QUANTITIES


PLEASE CALL OUR SALES TEAM IF THE PART REQUIRED IS NOT LISTED - WE WILL BE HAPPY TO HELP!

MUSHROOM PLUGS



TAPERED PLUGS

We stock a number of different styles of rubber plugs; tapered or standard, used for blanking off holes in metal panels, especially where the panel is too thick for a standard blind grommet.




When manufactured in silicone, these plugs can also be used as high temperature masking plugs.

Part Number	a (mm)	b (mm)	c (mm)
MP30-60-64	3.0	6.0	6.4
MP35-80-65	3.5	8.0	6.5
MP44-50-70	4.4	5.0	7.0
MP48-50-130	4.8	5.0	13.0
MP50-65-65	5.0	6.5	6.5
MP64-56-130	6.4	5.6	13.0
MP80-60-130	8.0	6.0	13.0
MP80-120-200	8.0	12.0	20.0
MP80-200-95	8.0	20.0	9.5
MP80-700-200	8.0	70.0	20.0
MP95-100-191	9.5	10.0	19.1
MP111-100-191	11.1	10.0	19.1
MP127-100-191	12.7	10.0	19.1
MP155-127-220S	15.5	12.7	22.0
MP180-100-254	18.0	10.0	25.4
MP191-159-318	19.1	15.9	31.8
MP200-159-318	20.0	15.9	31.8
MP222-159-318	22.2	15.9	31.8
MP254-159-318	25.4	15.9	31.8
MP350-320-420S	35.0	32.0	42.0
MP400-350-500S	40.0	35.0	50.0
MP580-100-720	58.0	10.0	72.0
MP780-180-880	78.0	18.0	88.0

Part Number	a (mm)	b (mm)	c (mm)
TP35-130-100S	3.5	13.0	10.0
TP41-74-78S	4.1	7.4	7.8
TP48-95-50S	4.8	9.5	5.0
TP50-100-80	5.0	10.0	8.0
TP80-127-100	8.0	12.7	10.0
TP100-110-123	10.0	11.0	12.3
TP120-700-160S	12.0	70.0	16.0
TP250-250-380	25.0	25.0	38.0

TAPERED BUNGS




Tapered Plugs & Bungs suit more varied applications, with a wider range of panel holes. The taper can also provide a tighter fit.

Bungs can be supplied straight or tapered, and sizes not listed can easily be made to order.

Please call/email for a quotation.

Part Number	a (mm)	b (mm)	c (mm)
TB50-15-160	5.0	1.5	16.0
TB60-30-190	6.0	3.0	19.0
TB60-50-60	6.0	5.0	6.0
TB80-70-80	8.0	7.0	8.0
TB100-80-85	10.0	8.0	8.5
TB100-80-100	10.0	8.0	10.0
TB120-100-120	12.0	10.0	12.0
TB127-100-160	12.7	10.0	16.0
TB135-107-130	13.5	10.7	13.0
TB150-130-150	15.0	13.0	15.0
TB174-127-127	17.4	12.7	12.7
TB174-159-159	17.4	15.9	15.9
TB180-150-450	18.0	15.0	45.0
TB200-180-320	20.0	18.0	32.0
TB206-180-320	20.6	18.0	32.0
TB220-200-320	22.0	20.0	32.0
TB235-200-254	23.5	20.0	25.4
TB240-210-320	24.0	21.0	32.0
TB275-240-275	27.5	24.0	27.5
TB300-270-320	30.0	27.0	32.0
TB320-300-320	32.0	30.0	32.0
TB390-360-350	39.0	36.0	35.0
TB450-420-400	45.0	42.0	40.0
TB520-500-400	52.0	50.0	40.0
TB600-580-400	60.0	58.0	40.0

BUNGS




Rubber Bungs can also be used to plug holes in metal plates.

These can also be used as Rubber Buffers.

Part Number	a (mm)	b (mm)
RB48-64	4.8	6.4
RB48-68	4.8	6.8
RB70-25	7.0	2.5
RB70-41	7.0	4.1
RB83-40	8.3	4.0
RB127-40	12.7	4.0
RB127-100	12.7	10.0
RB127-160	12.7	16.0
RB191-95	19.1	9.5
RB191-140	19.1	14.0
RB200-60	20.0	6.0
RB200-95	20.0	9.5
RB200-159	20.0	15.9
RB222-135	22.2	13.5

BUSHES

Below is our standard range of rubber bushes. Should the part you require not be listed, please call us or browse through our Flanged Bushes section on page 19. These bushes can be produced in many different types of rubber, for various industrial and anti-vibration purposes. Please see page 23 for details.



Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400

Part Number	a (mm)	b (mm)	c (mm)
RB48-27-50	4.8	2.7	5.0
RB70-15-100	7.0	1.5	10.0
RB95-20-112	9.5	2.0	11.2
RB107-75-120	10.7	7.5	12.0
RB112-76-76	11.2	7.6	7.6
RB120-60-58	12.0	6.0	5.8
RB140-30-70	14.0	3.0	7.0
RB150-60-80	15.0	6.0	8.0
RB150-76-76	15.0	7.6	7.6
RB150-100-80	15.0	10.0	8.0
RB159-100-65	15.9	10.0	6.5
RB160-60-80	16.0	6.0	8.0
RB170-55-200	17.0	5.5	20.0
RB170-85-70	17.0	8.5	7.0
RB170-90-60	17.0	9.0	6.0
RB175-52-175	17.5	5.2	17.5
RB185-90-110	18.5	9.0	11.0
RB190-120-70	19.0	12.0	7.0
RB190-127-160	19.0	12.7	16.0
RB200-60-350	20.0	6.0	35.0
RB200-90-100	20.0	9.0	10.0
RB200-95-95	20.0	9.0	9.5
RB203-50-95	20.3	5.0	9.5
RB205-85-130	20.5	8.5	13.0
RB220-110-160	22.0	11.0	16.0
RB222-95-111	22.2	9.5	11.1
RB225-160-70	22.5	16.0	7.0
RB250-80-80	25.0	8.0	8.0
RB250-95-160	25.0	9.5	16.0
RB250-100-220	25.0	10.0	22.0
RB250-120-350	25.0	12.0	35.0
RB254-75-95	25.4	7.5	9.5
RB254-90-220	25.4	9.0	22.0
RB260-117-119	26.0	11.7	11.9
RB267-113-127	26.7	11.3	12.7
RB284-127-254	28.4	12.7	25.4
RB285-111-159	28.5	11.1	15.9
RB285-119-160	28.5	11.9	16.0
RB285-127-110	28.5	12.7	11.0
RB285-127-135	28.5	12.7	13.5
RB285-135-127	28.5	13.5	12.7
RB285-150-150	28.5	15.0	15.0

Part Number	a (mm)	b (mm)	c (mm)
RB290-145-150	29.0	14.5	15.0
RB320-150-290	32.0	15.0	29.0
RB325-127-235	32.5	12.7	23.5
RB330-159-275	33.0	15.9	27.5
RB330-160-254	33.0	16.0	25.4
RB330-210-200	33.0	21.0	20.0
RB335-60-130	33.5	6.0	13.0
RB335-85-130	33.5	8.5	13.0
RB350-55-220	35.0	5.5	22.0
RB350-160-180	35.0	16.0	18.0
RB350-160-200	35.0	16.0	20.0
RB360-160-125	36.0	16.0	12.5
RB370-160-138	37.0	16.0	13.8
RB375-160-135	37.5	16.0	13.5
RB381-120-300	38.1	12.0	30.0
RB381-300-120	38.1	30.0	12.0
RB430-265-280	43.0	26.5	28.0
RB480-254-426	48.0	25.4	42.6
RB480-300-350	48.0	30.0	35.0
RB500-127-540	50.0	12.7	54.0
RB500-250-280	50.0	25.0	28.0
RB520-230-500	52.0	23.0	50.0
RB520-300-215	52.0	30.0	21.5
RB550-350-100	55.0	35.0	10.0
RB560-280-350	56.0	28.0	35.0
RB560-280-470	56.0	28.0	47.0
RB590-130-740	59.0	13.0	74.0
RB600-350-190	60.0	35.0	19.0
RB642-445-500	64.2	44.5	50.0
RB642-445-635	64.2	44.5	63.5
RB750-400-600	75.0	40.0	60.0
RB750-450-150	75.0	45.0	15.0
RB900-56-250	90.0	5.6	25.0
RB953-254-760	95.3	25.4	76.0
RB1000-240-250	100.0	24.0	25.0
RB1000-240-500	100.0	24.0	50.0
RB1000-750-200	100.0	75.0	20.0
RB1030-770-400	103.0	77.0	40.0
RB1110-580-870	111.0	58.0	87.0
RB1270-940-190	127.0	94.0	19.0
RB1520-1340-250	152.0	134.0	25.0

~ Please Note Our Minimum Order Value Is £30 + £10.00 Carriage & Packaging ~

Visit Our New Website!

Try Our Online Interactive Catalogue
& Rapid Enquiry Response Form


www.grommets.co.uk

WASHERS

We keep a selection of moulded and punched rubber washers in stock. However, we can produce rubber washers and discs to your exact dimensions for a minimum order of just 100 parts so if your required size is not listed please phone us with your requirement.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400



Part Number	a (mm)	b (mm)	c (mm)
RW70-30-15	7.0	3.0	1.5
RW80-30-20	8.0	3.0	2.0
RW84-53-30	8.4	5.3	3.0
RW96-70-40	9.6	7.0	4.0
RW100-50-20	10.0	5.0	2.0
RW100-60-10	10.0	6.0	1.0
RW100-60-30	10.0	6.0	3.0
RW100-70-10	10.0	7.0	1.0
RW105-43-15	10.5	4.3	1.5
RW110-35-40	11.0	3.5	4.0
RW120-40-15	12.0	4.0	1.5
RW120-40-30	12.0	4.0	3.0
RW120-50-15	12.0	5.0	1.5
RW120-60-20	12.0	6.0	2.0
RW127-64-15	12.7	6.4	1.5
RW127-80-15	12.7	8.0	1.5
RW140-40-10	14.0	4.0	1.0
RW140-40-30	14.0	4.0	3.0
RW145-70-40	14.5	7.0	4.0
RW160-20-25	16.0	2.0	2.5
RW160-55-15	16.0	5.5	1.5
RW160-55-30	16.0	5.5	3.0
RW160-80-30	16.0	8.0	3.0
RW160-100-10	16.0	10.0	1.0
RW160-100-15	16.0	10.0	1.5
RW170-65-15	17.0	6.5	1.5
RW180-120-10	18.0	12.0	1.0
RW180-120-20	18.0	12.0	2.0
RW180-120-30	18.0	12.0	3.0
RW185-90-40	18.5	9.0	4.0
RW190-95-18	19.0	9.5	1.8
RW190-105-16	19.0	10.5	1.6
RW191-48-45	19.1	4.8	4.5
RW200-40-10	20.0	4.0	1.0
RW200-40-30	20.0	4.0	3.0
RW200-40-50	20.0	4.0	5.0
RW200-60-40	20.0	6.0	4.0
RW200-65-25	20.0	6.5	2.5
RW200-105-30	20.0	10.5	3.0
RW200-120-10	20.0	12.0	1.0
RW200-127-25	20.0	12.7	2.5
RW200-127-50	20.0	12.7	5.0
RW215-50-15	21.5	5.0	1.5
RW220-40-30	22.0	4.0	3.0
RW220-95-80	22.0	9.5	8.0
RW220-150-10	22.0	15.0	1.0
RW235-200-10	23.5	20.0	1.0
RW240-105-10	24.0	10.5	1.0
RW240-135-10	24.0	13.5	1.0
RW240-170-20	24.0	17.0	2.0


Part Number	a (mm)	b (mm)	c (mm)
RW250-53-50	25.0	5.3	5.0
RW250-65-10	25.0	6.5	1.0
RW250-65-25	25.0	6.5	2.5
RW250-75-90	25.0	7.5	9.0
RW250-75-100	25.0	7.5	10.0
RW250-80-80	25.0	8.0	8.0
RW250-80-80S	25.0	8.0	8.0
RW250-85-15	25.0	8.5	1.5
RW250-150-10	25.0	15.0	1.0
RW250-150-15	25.0	15.0	1.5
RW254-120-20	25.4	12.0	2.0
RW255-130-18	25.5	13.0	1.8
RW255-130-20	25.5	13.0	2.0
RW270-170-40	27.0	17.0	4.0
RW280-110-30	28.0	11.0	3.0
RW290-200-50	29.0	20.0	5.0
RW290-200-70	29.0	20.0	7.0
RW290-230-20	29.0	23.0	2.0
RW300-100-20	30.0	10.0	2.0
RW300-100-50	30.0	10.0	5.0
RW300-105-30	30.0	10.5	3.0
RW300-150-10	35.0	15.0	1.0
RW300-205-10	30.0	20.5	1.0
RW300-250-25	30.0	25.0	2.5
RW318-240-10	31.8	24.0	1.0
RW318-240-20	31.8	24.0	2.0
RW318-240-45	31.8	24.0	4.5
RW320-120-30	32.0	12.0	3.0
RW320-160-32	32.0	16.0	3.2
RW320-190-65	32.0	19.0	6.5
RW340-250-30	34.0	25.0	3.0
RW350-60-50	35.0	6.0	5.0
RW350-300-30	35.0	30.0	3.0
RW360-240-30	36.0	24.0	3.0
RW360-250-30	36.0	25.0	3.0
RW365-208-25	36.5	20.8	2.5
RW370-130-10	37.0	13.0	1.0
RW370-200-60	37.0	20.0	6.0
RW380-270-10	38.0	27.0	1.0
RW381-254-30	38.1	25.4	3.0
RW381-207-30	38.0	20.7	3.0
RW400-80-60	40.0	8.0	6.0
RW400-220-30	40.0	22.0	3.0
RW400-230-30	40.0	23.0	3.0
RW410-140-30	41.0	14.0	3.0
RW420-40-20	42.0	4.0	2.0
RW420-40-30	42.0	4.0	3.0
RW450-120-30	45.0	12.0	3.0
RW450-150-20	45.0	15.0	2.0
RW450-180-30	45.0	18.0	3.0

Part Number	a (mm)	b (mm)	c (mm)
RW450-340-30	45.0	34.0	3.0
RW450-350-60	45.0	35.0	6.0
RW460-275-62	46.0	27.5	6.2
RW480-100-20	48.0	10.0	2.0
RW500-80-50	50.0	8.0	5.0
RW500-110-10	50.0	11.0	1.0
RW500-110-30	50.0	11.0	3.0
RW500-170-20	50.0	17.0	2.0
RW500-200-10	50.0	20.0	1.0
RW500-200-30	50.0	20.0	3.0
RW510-430-30	51.0	43.0	3.0
RW530-245-30	53.0	24.5	3.0
RW550-350-60	55.0	35.0	6.0
RW600-100-30	60.0	10.0	3.0
RW600-160-20	60.0	16.0	2.0
RW620-330-10	62.0	33.0	1.0
RW630-230-60	63.0	23.0	6.0
RW630-330-10	63.0	33.0	1.0

Part Number	a (mm)	b (mm)	c (mm)
RW642-445-120	64.2	44.5	12.0
RW650-400-30	65.0	40.0	3.0
RW660-207-63	66.0	20.7	6.3
RW690-545-10	69.0	54.5	1.0
RW700-550-30	70.0	55.0	3.0
RW750-120-20	75.0	12.0	2.0
RW750-310-40	75.0	31.0	4.0
RW760-360-30	76.0	36.0	3.0
RW825-700-14	82.5	70.0	1.4
RW900-700-10	90.0	70.0	1.0
RW900-700-20	90.0	70.0	2.0
RW900-770-40	90.0	77.0	4.0
RW1000-850-30	100.0	85.0	3.0
RW1100-700-30	110.0	70.0	3.0
RW1220-508-30	122.0	50.8	3.0
RW1220-700-30	122.0	70.0	3.0
RW1400-1200-30	140.0	120.0	3.0

G15

Rubber Feet



FEET



We can supply a range of rubber feet, which can also be used as caps for protection purposes.

Should you not find the size you require, please browse through our ferrules section on page 19, or call our sales team.

Part Number	a (mm)	b (mm)	c (mm)
RF240-320-508	24.0	32.0	50.8
RF254-426-480	25.4	42.6	48.0
RF318-254-381	31.8	25.4	38.1
RF350-120-500	35.0	12.0	50.0
RF370-426-480	37.0	42.6	48.0
RF381-400-525	38.1	40.0	52.5
RF508-318-700	50.8	31.8	70.0

Handle Grips

G16



HANDLE GRIPS

We stock a selection of flexible rubber handle grips, which are easy to fit. Our standard sizes are listed below, but we can manufacture handle grips to suit any size shaft.

TYPE A

Part Number	a (mm)	b (mm)	c (mm)
RHG190-1016	19.0	101.6	31.0
RHG200-1016	20.0	101.6	32.0
RHG220-1016	22.0	101.6	32.0

TYPE B

Part Number	a (mm)	b (mm)	c (mm)
RDG191-1270	19.1	127.0	28.0
RDG200-1270	20.0	127.0	28.0
RDG222-1270	22.2	127.0	28.0


CORD RINGS

We can supply a range of rubber cord rings.

Please see the list below for our range of standard sized parts. Please note minimum order quantities may apply to some parts that are not in stock.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400



Part Number	a (mm)	b (mm)	c (mm)
CR320-260-30	32.0	26.0	3.0
CR380-190-95	38.0	19.0	9.5
CR380-270-55	38.0	27.0	5.5
CR500-380-60	50.0	38.0	6.0
CR530-350-95	53.0	35.0	9.5
CR540-420-64	54.0	42.0	6.4
CR571-381-95	57.1	38.1	9.5
CR600-300-150	60.0	30.0	15.0
CR690-600-45	69.0	60.0	4.5
CR700-300-200	70.0	30.0	20.0
CR750-440-155	75.0	44.0	15.5

Part Number	a (mm)	b (mm)	c (mm)
CR762-508-127	76.2	50.8	12.7
CR900-740-80	90.0	74.0	8.0
CR940-820-64	94.0	82.0	6.4
CR1160-660-25	116.0	66.0	2.5
CR1320-1100-160	132.0	110.0	16.0
CR1590-1526-32	159.0	152.6	3.2
CR1780-1380-200	178.0	138.0	20.0
CR1900-1780-60	190.0	178.0	6.0
CR2350-2286-32	235.0	228.6	3.2
CR4355-4340-79	435.5	434.0	7.9
CR4750-4595-79	475.0	459.5	7.9

FERRULES


Our Rubber Ferrules protect protruding rods and other sharp points. They can be used as feet for chairs etc. and are available in a complete range of sizes. Our Rubber Ferrules can be supplied in many different types of rubber, including Santoprene Thermoplastic Rubber for high temperature uses of up to 150°C.

Please see the list below for our range of standard sized parts. Please note minimum order quantities may apply to some parts that are not in stock.

Also see page 18 for our range of Rubber Feet.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400



Part Number	a (mm)	b (mm)	c (mm)
RF24-66-56	2.4	6.6	5.6
RF24-122-63	2.4	12.2	6.3
RF32-53-55	3.2	5.3	5.5
RF32-92-55	3.2	9.2	5.5
RF32-142-70	3.2	14.2	7.0
RF40-122-63	4.0	12.2	6.3
RF48-142-70	4.8	14.2	7.0
RF50-203-79	5.0	20.3	7.9
RF60-110-85	6.0	11.0	8.5
RF63-155-87	6.3	15.5	8.7
RF64-104-79	6.4	10.4	7.9
RF64-132-95	6.4	13.2	9.5

Part Number	a (mm)	b (mm)	c (mm)
RF70-180-98	7.0	18.0	9.8
RF76-170-110	7.6	17.0	11.0
RF79-132-95	7.9	13.2	9.5
RF80-170-110	8.0	17.0	11.0
RF80-242-105	8.0	24.2	10.5
RF95-133-111	9.5	13.3	11.1
RF159-254-240	15.9	25.4	24.0
RF191-300-250	19.1	30.0	25.0
RF222-254-300	22.2	25.4	30.0
RF254-254-320	25.4	25.4	32.0
RF381-400-525	38.1	40.0	52.5
RF430-400-525	43.0	40.0	52.5

Custom Moulding Team

Our custom moulding team is available for all your non-standard requirements. Competitive, quality workmanship means not only do you get your parts for a great price, but they are precisely engineered by specialists.

We can carry out work to short lead times, and in most cases get initial samples to you within five working days. We can produce any type of rubber moulding no matter how complex, and we will tailor the part and the material to suit your needs completely. All tooling is produced in-house and a drawing or existing sample is all that is required to complete the job.

So if the part you require is not listed, or you do require a unique moulding, please contact our custom moulding team for a highly competitive quotation.

Custom Moulding Team: 01273 494400




G24

Rubber Flanged Bushes


FLANGED BUSHES

Below is our range of standard rubber flanged bushes. Please also see our range of Standard Bushes on page 16.

All flanged bushes are stocked in black rubber as standard, but can be made to order in a wide range of different materials, see page 23 for full range of materials available.



Part Numbers	a (mm)	b (mm)	c (mm)	d (mm)	e (mm)
RBF70-35-155	7.0	3.5	15.5	1.5	5.0
RBF70-40-145	7.0	4.0	14.5	1.0	5.0
RBF76-56-96	7.6	5.6	9.6	1.0	4.0
RBF90-72-140	9.0	7.2	14.0	1.0	4.0
RBF100-40-125	10.0	4.0	12.5	2.9	12.5
RBF111-48-150	11.1	4.8	15.0	2.0	5.0
RBF145-64-210	14.5	6.4	21.0	4.5	18.5
RBF155-83-216	15.5	8.3	21.6	5.5	15.0
RBF159-64-200	15.9	6.4	20.0	3.2	9.5
RBF159-127-380	15.9	12.7	38.0	2.0	11.5
RBF160-79-250	16.0	7.9	25.0	6.0	10.0
RBF180-95-300	18.0	9.5	30.0	8.0	16.5
RBF190-130-220	19.0	13.0	22.0	3.2	12.3
RBF191-79-254	19.1	7.9	25.4	4.8	19.1
RBF200-160-300	20.0	16.0	30.0	5.0	18.0
RBF205-140-320	20.5	14.0	32.0	3.2	10.0
RBF222-95-254	22.2	9.5	25.4	8.4	10.0
RBF230-170-318	23.0	17.0	31.8	3.0	32.0
RBF240-200-360	24.0	20.0	36.0	5.0	25.0
RBF254-111-320	25.4	11.1	32.0	4.0	10.5
RBF270-159-318	27.0	15.9	31.8	12.0	23.5
RBF290-200-350	27-29	20.0	35.0	7.0	17.5
RBF300-250-400	30.0	25.0	40.0	3.0	10.0
RBF360-240-400	36.0	24.0	40.0	17.0	70.0
RBF495-150-540	49.5	15.0	54.0	18.0	26.5
RBF500-90-540	50.0	9.0	54.0	18.2	70.0



DISCS

We keep a selection of moulded rubber discs in stock. We can produce rubber discs to exact dimensions for a minimum order of just 100 parts.

Part Number	a (mm)	b (mm)
RD140-40	14.0	4.0
RD150-30	15.0	3.0
RD180-30	18.0	3.0
RD180-40	18.0	4.0
RD180-60	18.0	6.0
RD180-80	18.0	8.0
RD180-100	18.0	10.0
RD191-60	19.1	6.0
RD200-40	20.0	4.0
RD200-60	20.0	6.0
RD200-80	20.0	8.0
RD200-100	20.0	10.0
RD220-40	22.0	4.0
RD220-60	22.0	6.0
RD220-80	22.0	8.0
RD220-100	22.0	10.0
RD240-20	24.0	2.0
RD250-40	25.0	4.0
RD250-60	25.0	6.0
RD250-80	25.0	8.0
RD250-100	25.0	10.0
RD258-55	25.8	5.5
RD300-15	30.0	1.5
RD300-40	30.0	4.0
RD300-60	30.0	6.0

Part Number	a (mm)	b (mm)
RD300-80	30.0	8.0
RD300-100	30.0	10.0
RD320-35	32.0	3.5
RD320-40	32.0	4.0
RD320-60	32.0	6.0
RD320-80	32.0	8.0
RD320-100	32.0	10.0
RD335-15	33.5	1.5
RD350-40	35.0	4.0
RD350-60	35.0	6.0
RD350-80	35.0	8.0
RD350-100	35.0	10.0
RD400-40	40.0	4.0
RD400-60	40.0	6.0
RD400-80	40.0	8.0
RD400-100	40.0	10.0
RD500-40	50.0	4.0
RD500-60	50.0	6.0
RD500-80	50.0	8.0
RD500-100	50.0	10.0
RD600-40	60.0	4.0
RD600-60	60.0	6.0
RD600-80	60.0	8.0
RD600-100	60.0	10.0
RD1000-15	100.0	1.5

PVC Edging Strip

G108


EDGING STRIP - PVC

We stock a full range of PVC Edging Strip for protecting metal panels 0.8mm to 6.8mm.

It is sold by the metre, usually with a minimum order of 10 metres.

Please email/call our sales team for a quotation on:

Email: sales@grommets.co.uk or Tel: 01273 494400



Part Number	a (mm)		b (mm)
	Min.	Max.	
G108-08-12	0.8	1.2	7.0
G108-10-20	1.0	2.0	8.0
G108-15-28	1.5	2.8	9.5
G108-27-38	2.7	3.8	10.5
G108-37-52	3.7	5.2	11.0
G108-53-68	5.3	6.8	13.0

www.grommets.co.uk



COMPOUND DATA SHEET

Below is a list of compounds that we can supply. Most parts in this catalogue are produced in rubber, and can be produced in any of the rubbers below (a minimum order quantity may apply).

Most moulded parts are stocked in Nitrile, Neoprene and Natural Rubbers. Please enquire and our sales staff will be happy to tell you what a specified part is stocked in.

All parts are stocked in black as standard but can be produced in colours for special order.

All PVC products in this catalogue are supplied in VX329 as standard.

MATERIAL	NORMAL SHORE HARDNESS	SPECIAL PROPERTIES AND APPLICATIONS	MAXIMUM CONSTANT WORKING TEMP 'C	MINIMUM CONSTANT WORKING TEMP 'C
COMMERCIAL NATURAL RUBBER	60'	<i>General Industrial Use</i>	70'	-50'
NEOPRENE	50'	<i>Oil Resisting Good Aging Properties</i>	100'	-30'
NITRILE	60'	<i>"Oil, Petrol and Fuel Resisting"</i>	120'	-40'
E.P.D.M.	40'	<i>Weather Resisting Ozone Resisting</i>	100'	-50'
SILICONE	45'	<i>Ozone Resisting High Temperature Uses</i>	250'	-60'-80'

PVC GRADE

VX 321	43'	<i>An Alternative to Very Soft Rubber</i>	70'	-35'
VX 329	55'	<i>General Industrial Use</i>	70'	-35'
VX 342	57'	<i>Non-Migratory Heat Resisting</i>	100' Intermittent	-35'

SANTOPRENE THERMOPLASTIC RUBBER

101 - 73	73'	<i>Characteristics Similar to Neoprene</i>	150'	-40'
101 - 64	64'	<i>Similar to Neoprene</i>	150'	-40'

www.grommets.co.uk



Visit Our Website ...

**Complete On-Line Catalogue
Regularly Updated Product Lists
Rapid Response Email Enquiry Form
Material Selection Sheet**

www.grommets.co.uk